



Descripción Características **Especificaciones** Soporte



Yamaha ▶ Productos ▶ Audio & Video ▶ Speaker Systems ▶ NS-PA160

NS-PA160

Specifications																																											
Tipo	Tipo																																										
Center	<table border="1"> <tr> <td>Center Speaker</td> <td> <table border="1"> <tr> <td>Woofers</td> <td>3-1/4") cone</td> </tr> <tr> <td>Tweeter</td> <td>) balanced dome</td> </tr> <tr> <td>Frequency Response</td> <td>Hz</td> </tr> <tr> <td>Nominal Input Power</td> <td></td> </tr> <tr> <td>Maximum Input Power</td> <td></td> </tr> <tr> <td>Sensitivity</td> <td>V/1 m</td> </tr> <tr> <td>Impedance</td> <td></td> </tr> <tr> <td>Dimensions (W x H x D)</td> <td>: 172 mm; 18-1/4" x 5-3/8" x 6-3/4"</td> </tr> <tr> <td>Weight</td> <td>lbs./unit</td> </tr> </table> </td> </tr> <tr> <td>Surround</td> <td> <table border="1"> <tr> <td>Surround Speaker</td> <td> <table border="1"> <tr> <td>Woofers</td> <td>) cone</td> </tr> <tr> <td>Tweeter</td> <td>) balanced dome</td> </tr> <tr> <td>Frequency Response</td> <td>Hz</td> </tr> <tr> <td>Nominal Input Power</td> <td></td> </tr> <tr> <td>Maximum Input Power</td> <td></td> </tr> <tr> <td>Sensitivity</td> <td>V/1 m</td> </tr> <tr> <td>Impedance</td> <td></td> </tr> <tr> <td>Dimensions (W x H x D)</td> <td>: 152 mm; 5-7/8" x 10-3/8" x 6"</td> </tr> <tr> <td>Weight</td> <td>s./unit</td> </tr> </table> </td> </tr> </table> </td> </tr> </table>	Center Speaker	<table border="1"> <tr> <td>Woofers</td> <td>3-1/4") cone</td> </tr> <tr> <td>Tweeter</td> <td>) balanced dome</td> </tr> <tr> <td>Frequency Response</td> <td>Hz</td> </tr> <tr> <td>Nominal Input Power</td> <td></td> </tr> <tr> <td>Maximum Input Power</td> <td></td> </tr> <tr> <td>Sensitivity</td> <td>V/1 m</td> </tr> <tr> <td>Impedance</td> <td></td> </tr> <tr> <td>Dimensions (W x H x D)</td> <td>: 172 mm; 18-1/4" x 5-3/8" x 6-3/4"</td> </tr> <tr> <td>Weight</td> <td>lbs./unit</td> </tr> </table>	Woofers	3-1/4") cone	Tweeter) balanced dome	Frequency Response	Hz	Nominal Input Power		Maximum Input Power		Sensitivity	V/1 m	Impedance		Dimensions (W x H x D)	: 172 mm; 18-1/4" x 5-3/8" x 6-3/4"	Weight	lbs./unit	Surround	<table border="1"> <tr> <td>Surround Speaker</td> <td> <table border="1"> <tr> <td>Woofers</td> <td>) cone</td> </tr> <tr> <td>Tweeter</td> <td>) balanced dome</td> </tr> <tr> <td>Frequency Response</td> <td>Hz</td> </tr> <tr> <td>Nominal Input Power</td> <td></td> </tr> <tr> <td>Maximum Input Power</td> <td></td> </tr> <tr> <td>Sensitivity</td> <td>V/1 m</td> </tr> <tr> <td>Impedance</td> <td></td> </tr> <tr> <td>Dimensions (W x H x D)</td> <td>: 152 mm; 5-7/8" x 10-3/8" x 6"</td> </tr> <tr> <td>Weight</td> <td>s./unit</td> </tr> </table> </td> </tr> </table>	Surround Speaker	<table border="1"> <tr> <td>Woofers</td> <td>) cone</td> </tr> <tr> <td>Tweeter</td> <td>) balanced dome</td> </tr> <tr> <td>Frequency Response</td> <td>Hz</td> </tr> <tr> <td>Nominal Input Power</td> <td></td> </tr> <tr> <td>Maximum Input Power</td> <td></td> </tr> <tr> <td>Sensitivity</td> <td>V/1 m</td> </tr> <tr> <td>Impedance</td> <td></td> </tr> <tr> <td>Dimensions (W x H x D)</td> <td>: 152 mm; 5-7/8" x 10-3/8" x 6"</td> </tr> <tr> <td>Weight</td> <td>s./unit</td> </tr> </table>	Woofers) cone	Tweeter) balanced dome	Frequency Response	Hz	Nominal Input Power		Maximum Input Power		Sensitivity	V/1 m	Impedance		Dimensions (W x H x D)	: 152 mm; 5-7/8" x 10-3/8" x 6"	Weight	s./unit
Center Speaker	<table border="1"> <tr> <td>Woofers</td> <td>3-1/4") cone</td> </tr> <tr> <td>Tweeter</td> <td>) balanced dome</td> </tr> <tr> <td>Frequency Response</td> <td>Hz</td> </tr> <tr> <td>Nominal Input Power</td> <td></td> </tr> <tr> <td>Maximum Input Power</td> <td></td> </tr> <tr> <td>Sensitivity</td> <td>V/1 m</td> </tr> <tr> <td>Impedance</td> <td></td> </tr> <tr> <td>Dimensions (W x H x D)</td> <td>: 172 mm; 18-1/4" x 5-3/8" x 6-3/4"</td> </tr> <tr> <td>Weight</td> <td>lbs./unit</td> </tr> </table>	Woofers	3-1/4") cone	Tweeter) balanced dome	Frequency Response	Hz	Nominal Input Power		Maximum Input Power		Sensitivity	V/1 m	Impedance		Dimensions (W x H x D)	: 172 mm; 18-1/4" x 5-3/8" x 6-3/4"	Weight	lbs./unit																								
Woofers	3-1/4") cone																																										
Tweeter) balanced dome																																										
Frequency Response	Hz																																										
Nominal Input Power																																											
Maximum Input Power																																											
Sensitivity	V/1 m																																										
Impedance																																											
Dimensions (W x H x D)	: 172 mm; 18-1/4" x 5-3/8" x 6-3/4"																																										
Weight	lbs./unit																																										
Surround	<table border="1"> <tr> <td>Surround Speaker</td> <td> <table border="1"> <tr> <td>Woofers</td> <td>) cone</td> </tr> <tr> <td>Tweeter</td> <td>) balanced dome</td> </tr> <tr> <td>Frequency Response</td> <td>Hz</td> </tr> <tr> <td>Nominal Input Power</td> <td></td> </tr> <tr> <td>Maximum Input Power</td> <td></td> </tr> <tr> <td>Sensitivity</td> <td>V/1 m</td> </tr> <tr> <td>Impedance</td> <td></td> </tr> <tr> <td>Dimensions (W x H x D)</td> <td>: 152 mm; 5-7/8" x 10-3/8" x 6"</td> </tr> <tr> <td>Weight</td> <td>s./unit</td> </tr> </table> </td> </tr> </table>	Surround Speaker	<table border="1"> <tr> <td>Woofers</td> <td>) cone</td> </tr> <tr> <td>Tweeter</td> <td>) balanced dome</td> </tr> <tr> <td>Frequency Response</td> <td>Hz</td> </tr> <tr> <td>Nominal Input Power</td> <td></td> </tr> <tr> <td>Maximum Input Power</td> <td></td> </tr> <tr> <td>Sensitivity</td> <td>V/1 m</td> </tr> <tr> <td>Impedance</td> <td></td> </tr> <tr> <td>Dimensions (W x H x D)</td> <td>: 152 mm; 5-7/8" x 10-3/8" x 6"</td> </tr> <tr> <td>Weight</td> <td>s./unit</td> </tr> </table>	Woofers) cone	Tweeter) balanced dome	Frequency Response	Hz	Nominal Input Power		Maximum Input Power		Sensitivity	V/1 m	Impedance		Dimensions (W x H x D)	: 152 mm; 5-7/8" x 10-3/8" x 6"	Weight	s./unit																						
Surround Speaker	<table border="1"> <tr> <td>Woofers</td> <td>) cone</td> </tr> <tr> <td>Tweeter</td> <td>) balanced dome</td> </tr> <tr> <td>Frequency Response</td> <td>Hz</td> </tr> <tr> <td>Nominal Input Power</td> <td></td> </tr> <tr> <td>Maximum Input Power</td> <td></td> </tr> <tr> <td>Sensitivity</td> <td>V/1 m</td> </tr> <tr> <td>Impedance</td> <td></td> </tr> <tr> <td>Dimensions (W x H x D)</td> <td>: 152 mm; 5-7/8" x 10-3/8" x 6"</td> </tr> <tr> <td>Weight</td> <td>s./unit</td> </tr> </table>	Woofers) cone	Tweeter) balanced dome	Frequency Response	Hz	Nominal Input Power		Maximum Input Power		Sensitivity	V/1 m	Impedance		Dimensions (W x H x D)	: 152 mm; 5-7/8" x 10-3/8" x 6"	Weight	s./unit																								
Woofers) cone																																										
Tweeter) balanced dome																																										
Frequency Response	Hz																																										
Nominal Input Power																																											
Maximum Input Power																																											
Sensitivity	V/1 m																																										
Impedance																																											
Dimensions (W x H x D)	: 152 mm; 5-7/8" x 10-3/8" x 6"																																										
Weight	s./unit																																										



Descargas




Noticias y Eventos



Contenido Especial

Yamaha ▶ Productos ▶ Audio & Video ▶ Speaker Systems ▶ NS-PA160

Los productos descritos en esta página web están conforme a México.
Algunas informaciones y sus contenidos son exclusivos para países específicos.



Productos



Pianos



Instrumentos de teclado



Guitarras, Bajos & Amplificadores



Baterías



Instrumentos de viento madera y metal



Instrumentos de arco



Percusión Sinfónica



Instrumentos de marcha



Sintetizadores & Herramientas de producción musical



Instrumentos de entretenimiento electrónicos



Audio & Video	>
Audio profesional	>
Apps	>
Unified Communications	>
Educación Musical	▣
Educación Musical	>
Noticias y eventos	▣
Últimas noticias y eventos	>
Artistas	▣
Artistas	>
Soporte	▣
Contacte con nosotros	>
Acerca del registro de cuenta	>
Buscador de Servicio	>
Brochures y Catálogos	>
Librería de manuales	>
Firmware / Actualizaciones de software	>
Documentos y datos	>
Encontrar	▣
Distribuidores	>
Acerca de Yamaha	▣
Información corporativa	>
Video Perfil Corporativo	>
Promesa de la marca	>
Reclutamiento	>
Filosofía Yamaha	>
Promesas a los accionistas	>
Historia	>
Relaciones con los inversores / IR	>
CSR/Actividades sociales y ambientales	>

[Atención]

Los productos descritos en esta página web están conforme a México.

Algunas informaciones y sus contenidos son exclusivos para países específicos.

[Contacte con nosotros](#) [Terminos de uso](#)
[Política de privacidad](#) [Política de Cookies](#)
[Social Media](#)

© Yamaha Corporation.

